















Quick Start Guide

HGW0B851



PEACE OF MIND

WHEREVER YOU ARE



HOME



OFFICE



RETAIL



WAREHOUSE



Welcome

Thank you for choosing HOMEGUARD. Getting started is easy.

What's included



Parts & Description



Get the App

For the best experience, download the Homeguardcare app for your smartphone by scanning the QR code below or searching for "Homeguardcare" in the app store.
















Step 2 Camera Settings








2 Click "Scan QR Code"




3 Enter the default Password "123456"


Step 3 Wireless Connection
















Choose your home "Router" and type in the "Password"



You're Done!

Congratulations! Your HOMEGUARD Camera is set up and ready to go.

- You can now safely disconnect your Ethernet cable.
- You are now free to position your camera anywhere in your home where you get a WiFi signal
 and view it remotely from anywhere in the world on your Smartphone or Tablet!
- Please remember to change your password in the Advanced Setting-User Setting.
 Record your new password here:

OR YOU CAN CHOOSE One Key WiFi Connection

Before you begin your IP Camera Set up, please:

- ✓ Have your IP Camera and power adapter ready.
- ✓ Have your iOS / android device available to download the Homeguardcare app.
- ✓ Make sure you are within range of the same Wi-Fi network you'll use for your camera.
- ✓ Run the app and add camera by scan the QR code at the bottom of the camera; Then input the user name and password.
- ✓ Click "More", select "Wi-Fi Config", fill in the Wi-Fi password and click "Configuration".







- Please put your smartphone near to the router
- Input WiFi SSID and password, click config button, then WiFi setup is finished.
- When WiFi indicator flash slowly (camera will be in this status after powered-on and hold for 5 minutes), it means you can start config WiFi. After config is successful. WiFi indicator will flash fast for a while.

Live View

Tap the monitoring screen, the video menu action bar will appear.






Monitoring Options

Press Menu to switch between IR LED On/Off & Set or Call Preset (for Pan&Tilt camera).





View from Mac or Windows PC

Install Homeguardcare software for your Mac or Windows PC from the included CD.



Specifications



ltem	Description
Hardware Features	10/100Mbps RJ45 Port
	WI-FI Support
	Power Interface
	Reset Button
	Built-in 8G MicroSD Card
	24 infrared LED, 20m Night Vision Range
Resolution	1920 x 1080, 640 x 360, 320 x 180
IR-CUT	Yes
Compression / Max Frame Rate	H.264/MJPEG, 30fps
Image Sensor / Lens	1/4" CMOS Sensor, f=6mm, F=2.0 Viewing Angle: 60°
Motion Detection	Supported, Will Activate Camera
Security Protocols	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, WPS
Camera Dimensions	70mm x 200mm x 65mm
Power Input	12V DC, < 8W
Weatherproof	IP67